

## Ficha técnica


LED STRIP




<b>Nombre</b>	NEON 360
<b>Referencia</b>	LINEON360xxxx10
<b>Potencia</b>	15W/m
<b>Descripción</b>	TIRA LED NEON 360 25mm 15W 24V IP65 CRI90 free cutting




Referencia	LINE- ON360230010	LINE- ON360270010	LINE- ON360300010	LINE- ON360400010
Flujo Lum. salida	750lm	950lm	960lm	970lm
Flujo Lum. nominal	1.250lm	1.310lm	1.3500lm	1.450lm
Eficiencia	50lm/W	63lm/W	64lm/W	65lm/W
Temp. Color	2.300°K	2.700°K	3.000°K	4.000°K
Tipo de diodo	SMD2835			
Ángulo de apertura	360°			
Consumo	15W/m			
Tensión	24Vdc			
Nº LEDs/metro	336			
CRI	>90			
Ind. de Protección	IP 65			
Temp. de trabajo	-20°C ~ +45°C			
Vida útil indoor	50.000h			
Vida útil outdoor	30.000h			
Mant. flujo luminoso	L70 B50			
Regulable	Si			
Driver incluido	No			
Adhesivo	-			
Corte cada	FREE CUTTING			
Ancho	25mm			
Grosor	25mm			
Longitud total	10m			



It is forbidden to wrap objects less than 120mm



NO stretching



No trampling

LUXLIGHT se reserva el derecho de modificar las especificaciones

### ⚠️ ADVERTENCIAS

- La instalación la debe hacer personal cualificado.
- 16 horas de funcionamiento continuo.
- No encienda la tira hasta que esté completamente instalada.
- No doblar en un diámetro inferior a 6cm.
- No ejerza excesiva fuerza en la superficie de la tira.



# NEON 360

## \*Accesorios / Accessories



Ref.	Des.
LINEON360GRAPA	Set grapa Neón 360 25 mm [1u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360GRAPA1	Set grapa Neón 360 1.000 mm [1u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360CLIP	Set clip invisible Neón 360 [2u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360SD1	Set de suspensión directa vertical max. 1 m plata <i>Suspension kit with 1 m</i>



Ref.	Des.
LINEON360SD12	Set de suspensión directa vertical max. 1 m negro <i>Suspension kit with 1 m</i>



Ref.	Des.
LINEON360SD2	Set de suspensión directa vertical max. 2,5 m plata <i>Suspension kit with 2,5 m</i>



Ref.	Des.
LINEON360SD22	Set de suspensión directa vertical max. 2,5 m negro <i>Suspension kit with 2,5 m</i>



Ref.	Des.
LINEON360SDD	Set de suspensión directa doble plata <i>Suspension kit</i>



Ref.	Des.
LINEON360SDD2	Set de suspensión directa doble negro <i>Suspension kit</i>



Ref.	Des.
LINEON360SC1	Set de suspensión cable vertical max. 1 m plata cable 2 m <i>Suspension kit with 1 m cable</i>



Ref.	Des.
LINEON360SC12	Set de suspensión cable vertical max. 1 m negro cable 2 m <i>Suspension kit with 1 m cable</i>



Ref.	Des.
LINEON360SC2	Set de suspensión cable vertical max. 2,5 m plata cable 2 m <i>Suspension kit with 2,5 m cable</i>



Ref.	Des.
LINEON360SC22	Set de suspensión cable vertical max. 2,5 m negro cable 2 m <i>Suspension kit with 2,5 m cable</i>



Ref.	Des.
LINEON360SCS12	Set [2u.] tubo PVC 38 mm <i>PVC pipe</i>

\* Añadir LISUSP07 o LISUSP02 [2u.]



Ref.	Des.
LINEON360SCS22	Tubo PVC 1.000 mm para luminaria horizontal recta <i>PVC pipe 1 m</i>

\* Añadir LISUSP07 o LISUSP02 [u.]



Ref.	Des.
LINEON360SCS32	Tubo PVC 2.500 mm para luminaria horizontal recta <i>PVC pipe 2,5 m</i>

\* Añadir LISUSP07 o LISUSP02 [4u.]



\*Accesorios / Accessories



Ref.	Des.
LINEON360SR	Set de suspensión rígida extensible 2 m negro + tubo PVC 38 mm [ 1u.] <i>Rigid suspension set 2 m</i>



Ref.	Des.
LISUSP07	Kit de suspensión plata con 5 m cable <i>Silver suspension kit</i>

LISUSP02	Kit de suspensión negra con 5 m cable <i>Black suspension kit</i>
----------	---



Ref.	Des.
LINEON360C2	Set de suspensión para luminaria vertical o horizontal circular negro <i>Black interconnector</i>



Ref.	Des.
LINEON360C	Set de suspensión para luminaria vertical o horizontal circular plata <i>White interconnector</i>



Ref.	Des.
LINEON360ENDCAPSR	Tapón entrada recta + Endcap <i>Endcap</i>



Ref.	Des.
LINEON360ENDCAPSL	Tapón entrada lateral + Endcap <i>Endcap</i>




LINEON360GRAPA



LINEON360GRAPA1



LINEON360CLIP



LINEON360SC1  
LINEON360SC12  
LINEON360SC2  
LINEON360SC22




LINEON360SDD  
LINEON360SDD2




LINEON360SCS12




LINEON360SD1  
LINEON360SD12  
LINEON360SD2  
LINEON360SD22



LINEON360SCS22  
LINEON360SCS32



LINEON360SR



LINEON360C2+  
LINEON360SCS12+  
LISUSP02  
LINEON360C+  
LINEON360SCS12+  
LISUSP07



LINEON360C2  
LINEON360C